

**elan**™

*Always Good Times*

# SKI CATALOG 2026/27

[www.elanjapan.co.jp](http://www.elanjapan.co.jp)



# Handcrafted in the Slovenian Alps

ELANのスキーはすべて、スロベニアのベグニエで丁寧に作られています。工房の上には山々がそびえ立ち、何世代にもわたる職人技が受け継がれています。私たちのスキーは、伝統的な手作業と先進技術、そして持続可能な生産手法を融合させ、一貫生産されています。

私たちは、インスピレーションの源に近い場所でスキーを製作することで、より良い製品とより良い体験が生まれると信じています。最初から最後まで、細部に至るまで、品質、責任、そして環境への配慮への私たちのコミットメントが反映されています。

## Always Good Times®

スキーは、ただ滑るだけではありません。大切な人と山で過ごすひとときこそが、スキーの魅力です。

Elanにとって、「Always Good Times (いつも楽しい時間)」は単なるスローガンではなく、私たちの約束です。楽しい時間は、誰かと繋がる喜びの中にあると信じています。Elanのスキーで滑るたびに、人と人との繋がり、喜び、そして山を越えて永遠に続く思い出が生まれるのです。



## Always One Turn Ahead

Elanは、すべてのスキーヤーをより良く、そして雪上での毎日をより充実したものにするために存在します。だからこそ私たちは革新を続け、すべての人にとってスキー体験を向上させることを目指しています。

80年にわたり、私たちは伝統と大胆なアイデアを融合させ、デザインとテクノロジーを進化させてきました。あらゆる形状、素材、そしてプロセスは、よりターンしやすく、より楽しく、そして地球にも優しいスキーという、たった一つの目的のために作られています。

その結果はシンプルです。パフォーマンスと楽しさの基準を確立し、世界中のスキーヤーから信頼され、滑るたびに最高のターンを約束するスキーが誕生しました。Elanで滑れば、きっと最高のスキー体験が待っています。





# Eight Decades, One Vision

Elanは、80年にわたりスロベニアアルプスの奥地で、明確な目的を掲げ、スキー板を作り続けてきました。それは、すべてのスキーヤーのスキルを向上させ、山での毎日を忘れられないものにすることです。私たちの伝統は、山々との繋がり、そして山々を共にする人々との繋がり、そしてスキーは共に体験することで最高の体験になるという信念の上に築かれています。

先駆的なイノベーションから持続可能な職人技まで、私たちは常に、人々と私たちが故郷と呼ぶ場所に奉仕するという、シンプルな理念に導かれています。Elanは単なるスキーブランドではありません。信頼、帰属意識、そして共に滑る喜びの上に築かれたコミュニティなのです。



## Responsible actions built upon experience

Elanの名を冠するすべての製品は、持続的な品質と環境への配慮を保証しています。これは私たちの企業理念を形作り、生産方法を導く責任です。

Elanは、高度な自動化技術と持続可能なビジネスプラクティスを活用し、スキー板を手作業で製造しています。何世代にもわたる知識の継承と生産プロセスの効率的な適応により、スロベニアのベグニエにある単一拠点で完全な垂直生産を実現しています。

**Learn more:**

[elansports.com/sustainability](https://elansports.com/sustainability)





# World Cup Ace

## Power & control to take charge.

レースラインはElanの生命線です。これらのスキーは、最も要求の高いスキーヤー、つまりスキーに何を求めるかを熟知した経験豊富なスキーヤーのために作られています。スキークロス、アルペンスキー、技術戦のいずれの競技でも、常に最高レベルのスキースキルを発揮できます。Elanレーススキーは、スピード、強さ、そしてパワーを象徴する矢印マークをあしらった、全く新しいボディシェイプとアイデンティティを備えています。




**JAPAN TEAM**  
Ryuto KOBAYASHI  
(SAJ令和7年度第00026号)



**JAPAN TEAM**  
Satoshi FURUNO  
(SAJ令和7年度第00033号)



**JAPAN TEAM**  
Lin NAKANISHI  
(SAJ令和7年度第00129号)



## WORLD CHAMPIONSHIP IN SKI CROSS, ST. MORITZ 2025

**RYAN REGEZ (SUI)**  
World champion, 2x Gold medal


**COURTNEY HOFFOS (CAN)**  
Silver medal

**JADE GRILLET AUBERT (FRA)**  
Silver medal

**MELVIN TCHIKNAVORIAN (FRA)**  
Silver medal

**YANICK GUNSCH (ITA)**  
Bronze medal

© GEPA pictures



### ACE GSX WORLD CUP X

PLATE

¥160,000(税込¥176,000)

### ACE GSX WORLD CUP

PLATE

¥160,000(税込¥176,000)

### ACE SLX WORLD CUP

PLATE

¥160,000(税込¥176,000)

### ACE GSX TEAM

PLATE

182/ ¥120,000(税込¥132,000)  
166-176/ ¥90,000(税込¥99,000)  
134-158/ ¥80,000(税込¥88,000)

### ACE SLX TEAM

PLATE

157/ ¥120,000(税込¥132,000)  
145-151/ ¥90,000(税込¥99,000)  
133-139/ ¥80,000(税込¥88,000)

| CODE            | AABMUH26                                         | AABMUG26                                         | AAEMUJ26                                         | AACMUM26 (134-158),<br>AACMUK26 (166-182)                                                                                 | AAFMUN26 (133-139),<br>AAFMUL26 (145-157)                                    |
|-----------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| MAIN TECHNOLOGY | Dual Ti, Response Frame Woodcore                 | Dual Ti, Response Frame Woodcore                 | Dual Ti, Response Frame Woodcore                 | Fibreglass / *Dual Ti, Response Frame Woodcore                                                                            | Fibreglass / *Dual Ti, Response Frame Woodcore                               |
| SIDEWALL        | RST Sidewall (Racing Sidewall Technology)        | RST Sidewall (Racing Sidewall Technology)        | RST Sidewall (Racing Sidewall Technology)        | RST Sidewall (Racing Sidewall Technology)                                                                                 | RST Sidewall (Racing Sidewall Technology)                                    |
| PROFILE         | Camber                                           | Camber                                           | Camber                                           | Camber                                                                                                                    | Camber                                                                       |
| BINDING         | 別売                                               | 別売                                               | 別売                                               | 別売                                                                                                                        | 別売                                                                           |
| BASE            | Sintered Race Structured High Speed Gliding base | Sintered Race Structured High Speed Gliding base | Sintered Race Structured High Speed Gliding base | Sintered Race Structured High Speed Gliding base                                                                          | Sintered Race Structured High Speed Gliding base                             |
| GEOMETRY        | /                                                | Conform to FIS                                   | Conform to FIS                                   | Conform to FIS                                                                                                            | Conform to FIS                                                               |
| LENGTH RADIUS   | 185 (>=25)<br>191 (>=27)                         | 188 (>=30)<br>193 (>=30)                         | 157 (>=11.5)<br>165 (>=12.6)                     | 134 (>=13.0)<br>142 (>=15.0)<br>150 (>=15.0)<br>*158 (>=17.0)<br>166 (>=17.5)<br>171 (>=20.5)<br>176 (>=23)<br>182 (>=25) | 133 (>=10.5)<br>139 (>=10.5)<br>145 (>=11.0)<br>151 (>=11.5)<br>157 (>=11.5) |
| WEIGHT          | /                                                | /                                                | /                                                | /                                                                                                                         | /                                                                            |



## RACE BINDINGS



### ER 18.0 X RD FF ST

¥70,000 (税込¥77,000) / 参考上代

**CODE\_** DA000120000

**COLOR\_** green/black

**Z-DIN\_** 10.5-18

**WEIGHT\_** 3150g

**TOE TYPE\_** Stream

**AFD\_** AFD ST POM (X)

**HEEL TYPE\_** RACE PRO RD

**BRAKE\_** PB² Race Pro 16-85

**BRAKE CODE\_** A

**BOOT NORM\_** A

**BOOT RANGE\_** 255-375 mm

### ER 17.0 X FF ST

¥52,000 (税込¥57,200) / 参考上代

**CODE\_** DA000320000

**COLOR\_** green/black

**Z-DIN\_** 6-17

**WEIGHT\_** 2650 g

**TOE TYPE\_** Stream

**AFD\_** AFD ST Teflon

**HEEL TYPE\_** RACE PRO

**BRAKE\_** PB² Race Pro 17-35

**BRAKE CODE\_** A

**BOOT NORM\_** A

**BOOT RANGE\_** 255-375 mm



### ER 14.0 GW FF

¥42,000 (税込¥46,200) / 参考上代

**CODE\_** DA020522000

**COLOR\_** green/black

**Z-DIN\_** 4-14

**WEIGHT\_** 2340 g

**TOE TYPE\_** RX

**AFD\_** AFS GW

**HEEL TYPE\_** D RX

**BRAKE\_** PB² LD 85

**BRAKE CODE\_** D

**BOOT NORM\_** A / GW

**BOOT RANGE\_** 257-372 mm

### ER 11.0 GW FF

¥32,000 (税込¥35,200) / 参考上代

**CODE\_** DA520722000

**COLOR\_** green/black

**Z-DIN\_** 3-11

**WEIGHT\_** 2260 g

**TOE TYPE\_** RX

**AFD\_** AFS GW

**HEEL TYPE\_** NX

**BRAKE\_** PB² LD 85

**BRAKE CODE\_** D

**BOOT NORM\_** A / GW

**BOOT RANGE\_** 257-372 mm

## RACE PLATE

### RACE PLATE WCR 14 / 14 SHORT



### RACE PLATE WCR TEAM



## BINDING

### PLATE / SKI COMPATIBILITY

| Model                 | Size            | Plate                    | Plate              |
|-----------------------|-----------------|--------------------------|--------------------|
| GSX WORLD CUP X PLATE | 185, 191        | RACE PLATE WCR 14        |                    |
| GSX WORLD CUP PLATE   | 188*, 193       | RACE PLATE WCR 14 SHORT* | RACE PLATE WCR 14  |
| SLX WORLD CUP PLATE   | 157*, 165       | RACE PLATE WCR 14 SHORT* | RACE PLATE WCR 14  |
| GSX TEAM PLATE        | 134 - 176, 182* | RACE PLATE WCR TEAM      | RACE PLATE WCR 14* |
| SLX TEAM PLATE        | 133 - 151       | RACE PLATE WCR TEAM      |                    |



# New Ace

## Ski better, ski Ace.

スキーが上手になればなるほど、山での楽しみも増えると私たちは信じています。だからこそ、最新型のACEは、あなたのスキーテクニックを磨き、より優れたスキーヤーへと導くために開発されたスキーなのです。

当社のレーススキーからインスピレーションを受け、オリンピックや世界チャンピオンからも信頼されているACEは、正確性、パワー、そして反発力を兼ね備え、熟練したスキーヤーの技を存分に発揮するデザインです。CARVセンサーを用いたテストで検証されたACEは、SKI IQ（スキーの知能指数）を目に見える形で向上させます。

## NEW | MAIN FEATURE

### Active Suspension Drive

レーシングカーのアクティブサスペンションのように、アクティブサスペンションドライブはスキーを雪面にしっかりと固定します。重なり合う補強層が衝撃吸収エラストマーの上に浮かび、圧力がかかった部分を正確にエネルギー伝達します。その結果、必要な時に、より優れたグリップ、より優れた反発力、そしてより強いパワーが発揮されます。まるでスキーがあなたの次の動きを予感しているかのような、直感的でストレスフリーな反応を実現します。

- 1 Reinforcement Layers Overlap with Integrated Shock Absorber**  
補強層が一体型ショックアブソーバーと重なり合う

## ADDITIONAL CONSTRUCTION ELEMENTS

- 2 Race Frame Woodcore**  
究極のコントロールとパワーグリップ
- 3 Titanal Reinforcement**  
パワー、コントロール、そして安定性
- 4 Traction Tip**  
地形適応力

#### ON MODELS:

ACE SC11+, SC9+, SC9+ W, SC7, SC7 W, SC5, SC5 W

トラクションチップは、スキーのチップパートに精密に設計されたリリーフゾーンを設け、変化する地形やスキーヤーの動きに瞬時に適応します。この繊細なフレックスパターンにより、驚異的なターン始動、エッジグリップの向上、そして振動の低減を実現し、あらゆるカービングへのスムーズで自信に満ちたターン進入を実現します。





### ACE GSX MASTER

#### PLATE

¥160,000 (税込¥176,000)



### ACE GSX

#### PLATE

¥160,000 (税込¥176,000)



### ACE SCX

#### PLATE

¥140,000 (税込¥154,000)



### ACE SLX

#### PLATE

¥140,000 (税込¥154,000)



### ACE SCX

#### FUSION X

¥165,000 (税込¥181,500)

| SKI LEVEL              | beginner                                         |  |  |  | intermediate                                          |  |  |  | expert                                                                  |  |  |  | beginner                                              |  |  |  | intermediate                                                                                     |  |  |  | expert |  |  |  |
|------------------------|--------------------------------------------------|--|--|--|-------------------------------------------------------|--|--|--|-------------------------------------------------------------------------|--|--|--|-------------------------------------------------------|--|--|--|--------------------------------------------------------------------------------------------------|--|--|--|--------|--|--|--|
| CODE                   | AABMUQ26                                         |  |  |  | AAJMTJ26 (Plate)                                      |  |  |  | AAJMTK26 (Plate)                                                        |  |  |  | AAKMTL26 (Plate)                                      |  |  |  | AAJMTG26                                                                                         |  |  |  |        |  |  |  |
| MAIN TECHNOLOGY        | Dual Ti, Race Frame Woodcore                     |  |  |  | Active Suspension Drive, Dual Ti, Race Frame Woodcore |  |  |  | Active Suspension Drive, Dual Ti, Race Frame Woodcore                   |  |  |  | Active Suspension Drive, Dual Ti, Race Frame Woodcore |  |  |  | Active Suspension Drive, Dual Ti, Race Frame Woodcore                                            |  |  |  |        |  |  |  |
| SIDEWALL               | RST Sidewall (Racing Sidewall Technology)        |  |  |  | RST Sidewall (Racing Sidewall Technology)             |  |  |  | RST Sidewall (Racing Sidewall Technology)                               |  |  |  | RST Sidewall (Racing Sidewall Technology)             |  |  |  | RST Sidewall (Racing Sidewall Technology)                                                        |  |  |  |        |  |  |  |
| PROFILE                | Camber Profile                                   |  |  |  | Camber Profile                                        |  |  |  | Camber Profile                                                          |  |  |  | Camber Profile                                        |  |  |  | Camber Profile                                                                                   |  |  |  |        |  |  |  |
| BINDING                | 別売                                               |  |  |  | 別売                                                    |  |  |  | 別売                                                                      |  |  |  | 別売                                                    |  |  |  | EMX 12.0 GW FUSION X BLK/GRN B85                                                                 |  |  |  |        |  |  |  |
| BASE                   | Sintered Race Structured High Speed Gliding base |  |  |  | Sintered Race Structured High Speed Gliding base      |  |  |  | Sintered Race Structured High Speed Gliding base                        |  |  |  | Sintered Race Structured High Speed Gliding base      |  |  |  | Sintered Race Structured High Speed Gliding base                                                 |  |  |  |        |  |  |  |
| LENGTH RADIUS GEOMETRY | 176 (>=23)<br>182 (>=25)<br>182 (23.9)           |  |  |  | 177 (17.8) 111-67-98<br>182 (18.5) 111-67-98          |  |  |  | 167 (15.1) 114-67-100<br>173 (15.9) 114-67-100<br>179 (16.7) 114-67-100 |  |  |  | 160 (12.0) 123-68-104<br>165 (12.6) 123-68-104        |  |  |  | 161 (14.3) 114-67-100<br>167 (15.1) 114-67-100<br>173 (15.9) 114-67-100<br>179 (16.7) 114-67-100 |  |  |  |        |  |  |  |
| WEIGHT                 | /                                                |  |  |  | /                                                     |  |  |  | /                                                                       |  |  |  | /                                                     |  |  |  | /                                                                                                |  |  |  |        |  |  |  |



NEW

## ACE SLX

### FUSION X

¥165,000(税込¥181,500)



NEW

## ACE SL11

### FUSION X

¥148,000(税込¥162,800)

| SKI LEVEL       | beginner                                                                                         | intermediate | expert      |
|-----------------|--------------------------------------------------------------------------------------------------|--------------|-------------|
|                 | <div></div>                                                                                      | <div></div>  | <div></div> |
| CODE            | AAKMTF26                                                                                         |              |             |
| MAIN TECHNOLOGY | Active Suspension Drive, Dual Ti, Race Frame Woodcore                                            |              |             |
| SIDEWALL        | RST Sidewall (Racing Sidewall Technology)                                                        |              |             |
| PROFILE         | Camber Profile                                                                                   |              |             |
| BINDING         | EMX 12.0 GW FUSION X BLK/ GRN B85                                                                |              |             |
| BASE            | Sintered Race Structured High Speed Gliding base                                                 |              |             |
| LENGTH RADIUS   | 155 (11.4) 123-68-104<br>160 (12.0) 123-68-104<br>165 (12.6) 123-68-104<br>170 (13.2) 123-68-104 |              |             |
| WEIGHT          | /                                                                                                |              |             |

## RACE BINDINGS



## ER 18.0 X RD FF ST

¥70,000(税込¥77,000) / 参考上代

CODE\_ DA000120000

COLOR\_ green/black

Z-DIN\_ 10,5-18

WEIGHT\_ 3150g

TOE TYPE\_ Stream

AFD\_ AFD ST POM (X)

HEEL TYPE\_ RACE PRO RD

BRAKE\_ PB² Race Pro 16-85

BRAKE CODE\_ A

BOOT NORM\_ A

BOOT RANGE\_ 255-375 mm



## ER 17.0 X FF ST

¥52,000(税込¥57,200) / 参考上代

CODE\_ DA000320000

COLOR\_ green/black

Z-DIN\_ 6-17

WEIGHT\_ 2650 g

TOE TYPE\_ Stream

AFD\_ AFD ST Teflon

HEEL TYPE\_ RACE PRO

BRAKE\_ PB² Race Pro 17-85

BRAKE CODE\_ A

BOOT NORM\_ A

BOOT RANGE\_ 255-375 mm



## ER 14.0 GW FF

¥42,000(税込¥46,200) / 参考上代

CODE\_ DA020522000

COLOR\_ green/black

Z-DIN\_ 4-14

WEIGHT\_ 2340 g

TOE TYPE\_ RX

AFD\_ AFS GW

HEEL TYPE\_ D RX

BRAKE\_ PB² LD 85

BRAKE CODE\_ D

BOOT NORM\_ A / GW

BOOT RANGE\_ 257-372 mm

## RACE PLATE

### RACE PLATE WCR 14





NEW



NEW



NEW



NEW



NEW

### ACE SC11+

#### FUSION X

¥160,000 (税込¥176,000)

#### SKI LEVEL

beginner intermediate expert

#### CODE

ABAMTM26

#### MAIN TECHNOLOGY

Active Suspension Drive, TractionTip, Dual Ti, Race Frame Woodcore,

#### SIDEWALL

RST Sidewall (Racing Sidewall Technology)

#### PROFILE

Camber Profile

#### BINDING

EMX 12.0 GW FUSION X BLK/ SIL B85

#### BASE

Sintered Race Structured High Speed Gliding base

#### LENGTH RADIUS GEOMETRY

151 (10.9) 130-74-110  
158 (11.6) 130-74-110  
165 (12.8) 130-74-110  
172 (14.0) 130-74-110  
179 (15.4) 130-74-110

#### WEIGHT

/

### ACE SC9

#### SHIFT X

¥132,000 (税込¥145,200)

beginner intermediate expert

ABCMZE26

Active Suspension Drive, Mono Ti, Race Frame Woodcore

RST Sidewall (Racing Sidewall Technology)

Camber Profile

ELX 11.0 GW SHIFT BLK/BLK B78

Sintered Race Structured High Speed Gliding base

155 (13.5) 114-67-100  
161 (14.3) 114-67-100  
167 (15.1) 114-67-100  
173 (15.9) 114-67-100

/

### ACE SC9+

#### SHIFT X

¥132,000 (税込¥145,200)

beginner intermediate expert

ABCMTN26

Active Suspension Drive, TractionTip, Mono Ti, Race Frame Woodcore

RST Sidewall (Racing Sidewall Technology)

Camber Profile

ELX 11.0 GW SHIFT BLK/BLK B78

Sintered Race Structured High Speed Gliding base

151 (10.9) 130-74-110  
158 (11.6) 130-74-110  
165 (12.8) 130-74-110  
172 (14.0) 130-74-110

/

### ACE SC7

#### SHIFT X

¥118,000 (税込¥129,800)

beginner intermediate expert

ABDMTP26

Active Suspension Drive, TractionTip, Dual Ti, Power Woodcore

RST Sidewall (Racing Sidewall Technology)

Camber Profile

ELX 11.0 GW SHIFT BLK/BLK B78

Sintered High Speed Gliding base

151 (11.5) 110-72-127  
158 (12.0) 110-72-127  
165 (12.7) 110-72-127  
172 (13.5) 110-72-127

/

### ACE SC5

#### SHIFT X

¥108,000 (税込¥118,800)

beginner intermediate expert

ABEMTQ26

Active Suspension Drive, TractionTip, Mono Ti, Power Woodcore

RST Sidewall (Racing Sidewall Technology)

Camber Profile

EL 10.0 GW SHIFT BLK/BLK B78

Sintered High Speed Gliding base

151 (11.5) 110-72-127  
158 (12.0) 110-72-127  
165 (12.7) 110-72-127  
172 (13.5) 110-72-127

/



### ACE SC4 S

SHIFT X

¥88,000 (税込¥96,800)

SKI LEVEL



CODE

ABGMUY26

MAIN TECHNOLOGY

Dual Woodcore, Fibreglass

SIDEWALL

Partial Sidewall

PROFILE

Early Rise Rocker

BINDING

EL 10.0 GW SHIFT BLK/BLK B78

BASE

Race Structured High Speed Gliding Base

LENGTH RADIUS GEOMETRY

144 (10.2) 123-72-106  
152 (11.4) 123-72-106  
160 (12.8) 123-72-106  
168 (14.0) 123-72-106  
175 (15.4) 123-72-106

WEIGHT

/



### ACE SC3 S BLK/GRN

SHIFT X

¥68,000 (税込¥74,800)



ABIMYY26

Mono Ti, Dual Woodcore

Full Power Cap

Early Rise Rocker

EL 10.0 GW SHIFT BLK/BLK B78

Sintered High Speed Gliding base

146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103  
176 (17.1) 122-74-103

/



### ACE SC3 S BLACK

SHIFT X

¥68,000 (税込¥74,800)



ABIMVK26

Mono Ti, Dual Woodcore

Full Power Cap

Early Rise Rocker

EL 10.0 GW SHIFT BLK/BLK B78

Sintered High Speed Gliding base

146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103  
176 (17.1) 122-74-103

/



### ACE SC2 S GREY

SHIFT X

¥65,000 (税込¥71,500)



ABJMVG26

Dual Woodcore, Fibreglass

Full Power Cap

Early Rise Rocker

EL 10.0 GW SHIFT BLK/BLK B78

140 (10.3) 122-74-103  
146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103  
176 (17.1) 122-74-103

/



### ACE SC2 S BLACK

SHIFT X

¥65,000 (税込¥71,500)



ABJMYX26

Dual Woodcore, Fibreglass

Full Power Cap

Early Rise Rocker

EL 10.0 GW SHIFT BLK/BLK B78

140 (10.3) 122-74-103  
146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103  
176 (17.1) 122-74-103

/



### ACE SL11 W

SHIFT X  
¥138,000 (税込¥151,800)

SKI LEVEL  
beginner intermediate expert

CODE  
ACBMTS26

MAIN TECHNOLOGY  
Active Suspension Drive, Mono Ti, Race Frame Woodcore

SIDEWALL  
RST Sidewall (Racing Sidewall Technology)

PROFILE  
Camber Profile

BINDING  
ELX 11.0 GW SHIFT BLK/BLK B78

BASE  
Sintered Race Structured High Speed Gliding base

LENGTH RADIUS GEOMETRY  
145 (10.0) 122-68-103  
150 (10.6) 122-68-103  
155 (11.4) 122-68-103  
160 (12.0) 122-68-103  
165 (12.6) 122-68-103

WEIGHT  
/



### ACE SC9+ W

SHIFT X  
¥132,000 (税込¥145,200)

SKI LEVEL  
beginner intermediate expert

CODE  
ACCMTT26

Active Suspension Drive, TractionTip, Mono Ti, Race Frame Woodcore

RST Sidewall (Racing Sidewall Technology)

Camber Profile

ELX 11.0 GW SHIFT BLK/BLK B78

Sintered Race Structured High Speed Gliding base

144 (10.5) 130-74-110  
151 (10.9) 130-74-110  
158 (11.6) 130-74-110  
165 (12.8) 130-74-110  
172 (14.0) 130-74-110

/



### ACE SC7 W

SHIFT X  
¥118,000 (税込¥129,800)

SKI LEVEL  
beginner intermediate expert

CODE  
ACDMTU26

Active Suspension Drive, TractionTip, Dual Ti, Power Woodcore

RST Sidewall (Racing Sidewall Technology)

Camber Profile

EL 10.0 GW SHIFT BLK/BLK B78

Sintered High Speed Gliding base

144 (10.7) 108-72-126  
151 (11.5) 108-72-126  
158 (12.0) 108-72-126  
165 (12.7) 108-72-126  
172 (13.5) 108-72-126

/



### ACE SC5 W

SHIFT X  
¥108,000 (税込¥118,800)

SKI LEVEL  
beginner intermediate expert

CODE  
ACEMTV26

Active Suspension Drive, TractionTip, Mono Ti, Power Woodcore

RST Sidewall (Racing Sidewall Technology)

Camber Profile

EL 9.0 GW SHIFT BLK/PUR B78

Sintered High Speed Gliding base

144 (10.7) 108-72-126  
151 (11.5) 108-72-126  
158 (12.0) 108-72-126  
165 (12.7) 108-72-126  
172 (13.5) 108-72-126

/



### ACE SC4 S W

SHIFT X  
¥88,000 (税込¥96,800)

SKI LEVEL  
beginner intermediate expert

CODE  
ACGMVQ26

Dual Woodcore, Fibreglass

Partial Sidewall

Early Rise Rocker

EL 9.0 GW SHIFT BLK/BLK B78

Race Structured High Speed Gliding Base

144 (10.2) 123-72-106  
152 (11.4) 123-72-106  
160 (12.8) 123-72-106  
168 (14.0) 123-72-106

/



### ACE SC3 S W WHITE

SHIFT X

¥68,000 (税込¥74,800)

beginner intermediate expert

### ACE SC3 S W BLACK

SHIFT X

¥68,000 (税込¥74,800)

beginner intermediate expert

### ACE SC2 S W BLACK

SHIFT X

¥65,000 (税込¥71,500)

beginner intermediate expert

### ACE SC2 S W BLUE

SHIFT X

¥65,000 (税込¥71,500)

beginner intermediate expert

| SKI LEVEL              | beginner                                                                                                                  | intermediate | expert |
|------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------|--------|
| CODE                   | ACIMVR26                                                                                                                  |              |        |
| MAIN TECHNOLOGY        | Mono Ti, Dual Woodcore                                                                                                    |              |        |
| SIDEWALL               | Full Power Cap                                                                                                            |              |        |
| PROFILE                | Early Rise Rocker                                                                                                         |              |        |
| BINDING                | EL 9.0 GW SHIFT BLK/BLK B78                                                                                               |              |        |
| BASE                   | Sintered High Speed Gliding base                                                                                          |              |        |
| LENGTH RADIUS GEOMETRY | 140 (10.3) 122-74-103<br>146 (11.3) 122-74-103<br>152 (12.4) 122-74-103<br>160 (13.9) 122-74-103<br>168 (15.4) 122-74-103 |              |        |
| WEIGHT                 | /                                                                                                                         |              |        |

ACIMVS26

Mono Ti, Dual Woodcore

Full Power Cap

Early Rise Rocker

EL 9.0 GW SHIFT BLK/BLK B78

Sintered High Speed Gliding base

140 (10.3) 122-74-103  
146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103

/

ACKMVT26

Dual Woodcore, Fibreglass

Full Power Cap

Early Rise Rocker

EL 9.0 GW SHIFT BLK/BLK B78

/

140 (10.3) 122-74-103  
146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103

/

ACKMVU26

Dual Woodcore, Fibreglass

Full Power Cap

Early Rise Rocker

EL 9.0 GW SHIFT BLK/BLK B78

/

140 (10.3) 122-74-103  
146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103

/

# Wildcat & Wingman

From First to Last Chair.


WingmanとWildcatは、リゾートで遭遇するあらゆるコンディションで、最初のリフトから最後の一本まで持続するパフォーマンスを求めるスキーヤーのためのスキーです。カービングスキーの正確性とフリーライドスキーの適応性を兼ね備えています。カービング愛好家には幅広のスキー、フリーライダーには幅狭のスキーとして設計されたWingman/Wildcatは、他のリゾートオールマウンテンスキーとは一線を画すダイナミックなスキー体験を提供します。

## MAIN FEATURE

### Power Line Technology

Amphibio Profileのキャンバーエッジに沿って縦方向に戦略的に配置されたコア材のシェイプと補強層により、インサイドエッジのねじれ強度とアウトサイドエッジの寛容性のバランスを実現しました。その結果、ダイレクトなパワー伝達と安定性を実現し、ターン中の優れたエッジグリップを実現。アウトサイドエッジはスムーズでコントロールしやすい感触で、軽快な操作性を実現します。

- 1 Asymmetrically Positioned Reinforcements: Mono Ti + UD Carbon**  
パワーとレスポンス
- 2 Laminated Woodcore**  
エネルギーと躍動感



## ADDITIONAL CONSTRUCTION ELEMENTS


- 3 SST - Slanted Sidewall Technology**  
軽量ながらもダイレクトなパワー伝達
- 4 Sintered Running Base**  
優れた滑走性
- 5 Amphibio Profile**  
スムーズなターンとエッジグリップ



## BLACK EDITION: WHAT'S DIFFERENT

### Power Line Technology

- 1 Asymmetrically Positioned Reinforcements: Mono Ti + UD Carbon + Carbon Rods**  
力強く、遊び心のある反発力。
- 2 Tubelite Woodcore**  
力強く、軽く、ダイナミックに。





## WINGMAN 86 BLACK EDITION

FUSION X ¥220,000 (税込¥242,000)  
FLAT ¥150,000 (税込¥165,000)

SKI LEVEL

intermediate advanced expert

CODE

ABTLXB25, ABTLXH25 (Flat)

MAIN  
TECHNOLOGY

PowerLine Technology, Mono Ti, Carbon Rods, UD Carbon, Tubelite Woodcore

SIDEWALL

SST (Slanted Sidewall Technology)

PROFILE

Amphibio Profile

BINDING

EMX 12.0 GW FUSION X BLK/ SIL B85

BASE

Sintered High Speed Gliding base

LENGTH RADIUS  
GEOMETRY

160 (14.0) 132-86-112  
168 (15.0) 132-86-112  
174 (16.0) 132-86-112  
182 (17.0) 132-86-112

WEIGHT

/



## WINGMAN 86 TI

SHIFT X ¥160,000 (税込¥176,000)  
FLAT ¥120,000 (税込¥132,000)

intermediate advanced expert

ABWMEG25, ABPLYB25 (Flat)

PowerLine Technology, Mono Ti, Laminated Woodcore

SST (Slanted Sidewall Technology)

Amphibio Profile

ELX 11.0 GW SHIFT BLK/BLK B85

Sintered High Speed Gliding base

152 (13.0) 132-86-112  
160 (14.0) 132-86-112  
168 (15.0) 132-86-112  
174 (16.0) 132-86-112  
182 (17.0) 132-86-112

/



## WINGMAN 83 TI

SHIFT X ¥150,000 (税込¥165,000)  
FLAT ¥110,000 (税込¥121,000)

intermediate advanced expert

ABWLXP25, ABRLYE25 (Flat)

PowerLine Technology, Mono Ti, Laminated Woodcore

SST (Slanted Sidewall Technology)

Amphibio Profile

ELX 11.0 GW SHIFT BLK/BLK B85

Sintered High Speed Gliding base

152 (12.0) 131-83-112  
160 (13.0) 131-83-112  
168 (14.0) 131-83-112  
174 (15.0) 131-83-112  
182 (16.0) 131-83-112

/



## WINGMAN 83 C

SHIFT X  
¥140,000 (税込¥154,000)

intermediate advanced expert

ABXLS25

PowerLine Technology, UD Carbon, Laminated Woodcore

SST (Slanted Sidewall Technology)

Amphibio Profile

EL 10.0 GW SHIFT BLK/BLK B85

Sintered High Speed Gliding base

152 (12.0) 131-83-112  
160 (13.0) 131-83-112  
168 (14.0) 131-83-112  
174 (15.0) 131-83-112  
182 (16.0) 131-83-112

/



## WINGMAN 80 TI

SHIFT X  
¥130,000 (税込¥143,000)

intermediate advanced expert

ABYLV25

PowerLine Technology, Mono Ti, Power Woodcore

RST Sidewall (Racing Sidewall Technology)

Amphibio Profile

EL 10.0 GW SHIFT BLK/GRN B78

Sintered High Speed Gliding base

152 (11.0) 127-80-110  
160 (12.1) 127-80-110  
168 (13.0) 127-80-110  
174 (14.4) 127-80-110

/



NEW

## WINGMAN 78 C

SHIFT X

¥90,000 (税込¥99,000)

SKI LEVEL

intermediate advanced expert

CODE

ABYMSS26

MAIN  
TECHNOLOGY

Carbon Reinforcement, Dual Woodcore

SIDEWALL

RST Sidewall (Racing Sidewall Technology)

PROFILE

Early Rise Rocker

BINDING

EL 10.0 GW SHIFT BLK/BLK B78

BASE

Sintered High Speed Gliding base

LENGTH RADIUS  
GEOMETRY

146 (12.5) 125-78-106  
154 (13.6) 125-78-106  
162 (14.7) 125-78-106  
170 (15.8) 125-78-106  
178 (16.9) 125-78-106

WEIGHT

/



NEW

## WINGMAN 75 Ti

SHIFT X

¥68,000 (税込¥74,800)

intermediate advanced expert

ABZMWH26

Mono Ti, Dual Woodcore

Full Power Cap

Early Rise Rocker

EL 10.0 GW SHIFT BLK/BLK B78

Sintered High Speed Gliding base

146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103  
176 (17.1) 122-74-103

/



NEW

## WINGMAN 75 BLACK

SHIFT X

¥65,000 (税込¥71,500)

intermediate advanced expert

ABZMWJ26

Dual Woodcore, Fibreglass

Full Power Cap

Early Rise Rocker

EL 10.0 GW SHIFT BLK/RED B78

146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103  
176 (17.1) 122-74-103

/



NEW

## WINGMAN 75 BLUE

SHIFT X

¥65,000 (税込¥71,500)

intermediate advanced expert

ABZMWK26

Dual Woodcore, Fibreglass


Full Power Cap

Early Rise Rocker

EL 10.0 GW SHIFT BLK/SAND B78

146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4) 122-74-103  
176 (17.1) 122-74-103

/





W studio



W studio



W studio



W studio



NEW

W studio

## WILDCAT 83 BLACK EDITION

SHIFT X  
¥190,000 (税込¥209,000)

SKI LEVEL

intermediate advanced expert

CODE

ACRLYP25

MAIN TECHNOLOGY

PowerLine Technology, Mono Ti, Carbon Rods, UD Carbon, Tubelite Woodcore

SIDEWALL

SST (Slanted Sidewall Technology)

PROFILE

Amphibio Profile

BINDING

ELX 11.0 GW SHIFT BLK/BLK B85

BASE

Sintered High Speed Gliding base

LENGTH RADIUS GEOMETRY

152 (12.0) 130-82-110  
160 (13.0) 130-82-110  
168 (14.0) 130-82-110

WEIGHT

/

## WILDCAT 83 TI

SHIFT X  
¥145,000 (税込¥159,500)

intermediate advanced expert

ACSLYH25

PowerLine Technology, Mono Ti, Laminated Woodcore

SST (Slanted Sidewall Technology)

Amphibio Profile

EL 9.0 GW SHIFT BLK/PUR B85

Sintered High Speed Gliding base

144 (11.5) 130-82-110  
152 (12.0) 130-82-110  
160 (13.0) 130-82-110  
168 (14.0) 130-82-110

/

## WILDCAT 83 C

SHIFT X  
¥135,000 (税込¥148,500)

intermediate advanced expert

ACTLYY25

PowerLine Technology, UD Carbon, Laminated Woodcore

SST (Slanted Sidewall Technology)

Amphibio Profile

EL 9.0 GW SHIFT BLK/SND B85

Sintered High Speed Gliding base

144 (11.5) 130-82-110  
152 (12.0) 130-82-110  
160 (13.0) 130-82-110  
168 (14.0) 130-82-110

/

## WILDCAT 80 TI

SHIFT X  
¥130,000 (税込¥143,000)

intermediate advanced expert

ACULYS25

PowerLine Technology, Mono Ti, Power Woodcore

RST Sidewall (Racing Sidewall Technology)

Amphibio Profile

EL 9.0 GW SHIFT BLK/PUR B78

Sintered High Speed Gliding base

144 (10.0) 126-79-110  
152 (11.0) 126-79-110  
160 (12.1) 126-79-110  
168 (13.0) 126-79-110

/

## WILDCAT 78 C

SHIFT X  
¥85,000 (税込¥93,500)

intermediate advanced expert

ACWMSU26

Carbon Reinforcement, Dual Woodcore

RST Sidewall (Racing Sidewall Technology)

Early Rise Rocker

EL 9.0 GW SHIFT BLK/SND B78

Extruded base

130 (10.3) 122-77-104  
138 (11.4) 122-77-104  
146 (12.5) 122-77-104  
154 (13.6) 122-77-104  
162 (14.7) 122-77-104  
170 (15.8) 122-77-104

/



NEW  
Studio



NEW  
Studio

## WILDCAT 75 BLACK

SHIFT X

¥65,000 (税込¥71,500)

SKI LEVEL

intermediate advanced expert

CODE ACZMWN26

MAIN TECHNOLOGY

Dual Woodcore, Fibreglass

SIDEWALL

Full Power Cap

PROFILE

Early Rise Rocker

BINDING

EL 9.0 GW SHIFT BLK/BLK B78

BASE

/

LENGTH RADIUS GEOMETRY

140 (10.3) 122-74-103  
146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4), 122-74-103

WEIGHT

/

## WILDCAT 75 WHITE

SHIFT X

¥65,000 (税込¥71,500)

intermediate advanced expert

CODE ACZMWP26

Dual Woodcore, Fibreglass

Full Power Cap

Early Rise Rocker

EL 9.0 GW SHIFT BLK/BLK B78

/

140 (10.3) 122-74-103  
146 (11.3) 122-74-103  
152 (12.4) 122-74-103  
160 (13.9) 122-74-103  
168 (15.4), 122-74-103

/



FREERIDE TWIN



# Playmaker

Make the Mountain Your Playground.

エラン プレイメーカーは、フリースタイルツインチップの遊び心とディレクショナルフリーライドスキーの自信を融合させ、山を遊び場へと変貌させます。軽量3D構造とカーボンロッドを採用し、ポップとパワーの完璧なバランスを実現したエラン プレイメーカーは、どんな地形もスタイリッシュに駆け抜けます。

## MAIN FEATURE

### Dual Float Technology

デュアルフロートテクノロジーは、足元に安定感と力強いプラットフォームを提供する3D台形構造と、先端と後端の極薄プロファイルを融合させ、重量を軽減しながら両方向への浮力を最大限に高めます。



- 1 Carbon Rods**  
安定性とパワフルな反発力を実現
- 2 Tubelite Woodcore**  
強く、軽く、ダイナミック

## ADDITIONAL CONSTRUCTION ELEMENTS

- 3 360 Sidewall**  
軽量化を実現しながらも、常にダイレクトなパワー伝達を実現
- 4 Surf Rocker**  
双方向フローティング

## PLAYMAKER 87: WHAT'S DIFFERENT

- 1 Laminated Woodcore**  
エネルギーと活力のために
- 2 RST - Racing Sidewall**  
優れたエッジコントロール





## PLAYMAKER 111

FLAT

¥145,000 (税込 ¥159,500)

SKI LEVEL

intermediate advanced expert

CODE

AEALZT25

MAIN TECHNOLOGY

Dual Float Technology, Carbon Rods, Tubelite Woodcore

SIDEWALL

360° Sidewall

PROFILE

Surf Rocker

BINDING

/

BASE

Sintered High Speed Gliding base

LENGTH RADIUS GEOMETRY

172 (18.0) 142-111-132  
180 (19.0) 142-111-132  
188 (23.5) 142-111-132

WEIGHT

1790 +/- 50g (180)



## PLAYMAKER 101

FLAT

¥130,000 (税込 ¥143,000)

intermediate advanced expert

AEBLZW25

Dual Float Technology, Carbon Rods, Tubelite Woodcore

SST (Slanted Sidewall Technology)

Surf Rocker

/

Sintered High Speed Gliding base

164 (16.0) 132-101-122  
172 (17.0) 132-101-122  
180 (18.1) 132-101-122  
188 (19.5) 132-101-122

1685 +/- 50g (180)



## PLAYMAKER 91

FLAT

¥112,000 (税込 ¥123,200)

intermediate advanced expert

AECMAB25

Dual Float Technology, Carbon Rods, Tubelite Woodcore

360° Sidewall


Surf Rocker

/

Sintered High Speed Gliding base

156 (15.0) 122-91-116  
164 (16.0) 122-91-116  
172 (17.0) 122-91-116  
180 (18.1) 122-91-116  
188 (19.5) 122-91-116

1570 +/- 50g (180)



NEW

## PLAYMAKER 87

FLAT

¥95,000 (税込 ¥104,500)

intermediate advanced expert

AEDMJF25

Dual Float Technology, Fibreglass, Laminated Woodcore

RST Sidewall (Racing Sidewall Technology)

Surf Rocker

/

Sintered High Speed Gliding base

146 (13.0) 119-87-108  
156 (14.0) 119-87-108  
166 (15.0) 119-87-108  
176 (16.0) 119-87-108  
182 (17.0) 119-87-108

1365 +/- 50g (166)



## PLAYMAKER 81 T

SHIFT X /

¥72,000 (税込 ¥79,200)

intermediate advanced expert

AEELZY25

Fibreglass, Dual Woodcore

Full Power Cap

Jib Rocker

EL 10.0 GW SHIFT BLK/BLK B85

Extruded base

151 (14.0) 109-81-104  
161 (15.0) 109-81-104

/



### ATTACK 17 MN W/O BRAKE

¥52,000 (税込¥57,200)

**CODE\_** DD010121000

**COLOR\_** solid black

**Z-DIN\_** 6 - 17

**WEIGHT\_** 2050 (2350) g

**TOE TYPE\_** FR PRO<sup>3</sup>

**AFD\_** AFS metal MN

**HEEL TYPE\_** RACE PRO FR

**BRAKE\_** W/O BRAKE

**BRAKE CODE\_** A

**BOOT NORM\_** A / G / W / T

**BOOT RANGE\_** ALL



### ATTACK 14 MN W/O BRAKE BLK

¥32,000 (税込¥35,200)

**CODE\_** DD010521000

**COLOR\_** solid black

**Z-DIN\_** 4 - 14

**WEIGHT\_** 960 g

**TOE TYPE\_** FR PRO<sup>3</sup>

**AFD\_** AFS metal MN

**HEEL TYPE\_** NX FR

**BRAKE\_** W/O BRAKE

**BRAKE CODE\_** A

**BOOT NORM\_** A / G / W / T

**BOOT RANGE\_** ALL



### ATTACK 14 MN W/O BRAKE PINK

¥32,000 (税込¥35,200)

**CODE\_** DD020524000

**COLOR\_** pink

**Z-DIN\_** 4 - 14

**WEIGHT\_** 960 g

**TOE TYPE\_** FR PRO<sup>3</sup>

**AFD\_** AFS metal MN

**HEEL TYPE\_** NX FR

**BRAKE\_** W/O BRAKE

**BRAKE CODE\_** A

**BOOT NORM\_** A / G / W / T

**BOOT RANGE\_** ALL



### FREELINE

SHIFT X

¥62,000 (税込¥68,200)

**SKI LEVEL**

beginner intermediate expert

**CODE**

AGHMAZ25

**MAIN TECHNOLOGY**

Fibreglass, Synflex Core

**SIDEWALL**

Full Power Cap

**PROFILE**

/

**BINDING**

EL 10.0 GW SHIFT BLK/BLK B90,

**BASE**

Extruded base

**LENGTH RADIUS GEOMETRY**

125 (8.5) 115-76-105  
135 (10.3) 115-76-105

**WEIGHT**

/



### FREELINE 99

SHIFT X

¥62,000 (税込¥68,200)

beginner intermediate expert

**CODE**

AGHMAZ25

Fibreglass, Synflex Core

Full Power Cap

/

EL 10.0 GW SHIFT BLK/BLK B90,

Extruded base

99 (7.7) 111-87-100

/





THE RIPPSTICK COLLECTION

# Ripstick

## Built Different.


リゾートでの嵐の日、圧雪のゲレンデ、バックカントリーのパウダースノーなど、リップスティックコレクションは、あらゆるコンディションと地形でスキーヤーに自信を与えることで世界的に認められています。受賞歴のあるテクノロジー、汎用性の高いシェイプ、そして幅広いサイズ展開を特徴とするこれらの軽量スキーは、重量級のパフォーマンスを発揮し、最初から最後まで、スキーヤーが最大限のポテンシャルを発揮できるよう力強くサポートします。

## MAIN FEATURE

### Carbon Deck Technology


カーボンデッキテクノロジーは、チューブライトウッドコアの強力な反発力とカーボンロッド、そしてユニディレクショナルカーボン (UD) エッジバンドを融合。これらのテクノロジーを組み合わせることで、強力な反発力、ねじれ剛性、そして強固で安定したプラットフォームを実現し、優れたレスポンスとスムーズな乗り心地を実現します。

- 1 Tubelite Woodcore**  
エネルギーと躍動感
- 2 Flax Fiber**  
自然な振動コントロール
- 3 Carbon Rods**  
安定性、パワー、そして反発力を実現
- 4 UD Carbon**  
優れたエッジコントロールとレスポンス




## ADDITIONAL CONSTRUCTION ELEMENTS

- 5 SST - Slanted Sidewall Technology**  
強靱で軽量、そしてダイナミック
- 6 Amphibio Profile**  
容易なターンとエッジグリップ
- 7 Sintered Running Base**  
優れた滑走性



## BLACK EDITION: WHAT'S DIFFERENT

- 1 C Ply**  
新たなレベルのグリップと安定性
- 2 Quadrod Reinforcement**  
軽量、安定性、そして力強い反発力を実現





## RIPSTICK 102 BLACK EDITION

FLAT

¥152,000 (税込¥167,200)

SKI LEVEL

intermediate advanced expert

CODE

ADBMMR26

MAIN  
TECHNOLOGY

CarbonDeck Technology,  
Quadrod, Carbon Frame Rein-  
forcement, Flax Fibre, Tubelite  
Woodcore

SIDEWALL

SST (Slanted Sidewall Tech-  
nology)

PROFILE

Amphibio Profile

BINDING

/

BASE

Sintered Race Structured High  
Speed Gliding base

LENGTH RADIUS  
GEOMETRY

168(16.8) 134/100/114  
175(17.8) 136/101/116  
182(18.8) 138/102/118  
189(19.8) 140/103/121

WEIGHT

1720 +/- 50g (182)



## RIPSTICK 96 BLACK EDITION

FLAT

¥142,000 (税込¥156,200)

intermediate advanced expert

ADCMMS26

CarbonDeck Technology,  
Quadrod, Carbon Frame Rein-  
forcement, Flax Fibre, Tubelite  
Woodcore

SST (Slanted Sidewall Tech-  
nology)

Amphibio Profile

/

Sintered Race Structured High  
Speed Gliding base

161(14.8) 128/93/108  
168(15.8) 129/94/109  
175(16.8) 131/95/112  
182(17.8) 133/96/114  
189(18.8) 134/97/115

1715 +/- 50g (182)



## RIPSTICK 88 BLACK EDITION

FLAT

¥132,000 (税込¥145,200)

intermediate advanced expert

ADDMMT26

CarbonDeck Technology,  
Quadrod, Carbon Frame Rein-  
forcement, Flax Fibre, Tubelite  
Woodcore

SST (Slanted Sidewall Tech-  
nology)

Amphibio Profile

/

Sintered Race Structured High  
Speed Gliding base

161(13.8) 123-87-102  
168(14.8) 125-88-104  
175(15.8) 127-88-106  
182(16.8) 130-90-108  
189(17.8) 131-91-110

1715 +/- 50g (182)



## RIPSTICK 108

FLAT

¥119,000 (税込¥130,900)

intermediate advanced expert

ADAMMX26

CarbonDeck Technology, Carbon  
Rods, UD Carbon, Flax Fibre,  
Tubelite Woodcore

SST (Slanted Sidewall Tech-  
nology)


Amphibio Profile

/

Sintered High Speed Gliding  
base

168(17.8) 139-106-119  
175(18.8) 141-107-121  
182(19.8) 143-108-124  
189(21.3) 144-109-125

1770 +/- 50g (182)



## RIPSTICK 102

FLAT

¥109,000 (税込¥119,900)

intermediate advanced expert

ADBMMZ26

CarbonDeck Technology, Carbon  
Rods, UD Carbon, Flax Fibre,  
Tubelite Woodcore

SST (Slanted Sidewall Tech-  
nology)

Amphibio Profile

/

Sintered High Speed Gliding  
base

161(15.8) 132-99-112  
168(16.8) 134-100-114  
175(17.8) 136-101-116  
182(18.8) 138-102-118  
189(19.8) 140-103-121

1720 +/- 50g (182)



## RIPSTICK 96

FLAT

¥99,000 (税込¥108,900)

intermediate advanced expert

SKI LEVEL

CODE ADCMNB26

MAIN TECHNOLOGY

CarbonDeck Technology, Carbon Rods, UD Carbon, Flax Fibre, Tubelite Woodcore

SIDEWALL

SST (Slanted Sidewall Technology)

PROFILE

Amphibio Profile

BINDING

/

BASE

Sintered High Speed Gliding base

LENGTH RADIUS GEOMETRY

161(14.8) 128-93-108  
168(15.8) 129-94-109  
175(16.8) 131-95-112  
182(17.8) 133-96-114  
189(18.8) 134-97-115

WEIGHT

1640 +/- 50g (182)

## RIPSTICK 88

FLAT

¥89,000 (税込¥97,900)

intermediate advanced expert

CODE ADDMNC26

MAIN TECHNOLOGY

CarbonDeck Technology, Carbon Rods, UD Carbon, Flax Fibre, Tubelite Woodcore

SIDEWALL

SST (Slanted Sidewall Technology)

PROFILE

Amphibio Profile

BINDING

/

BASE

Sintered High Speed Gliding base

161(13.8) 123-87-102  
168(14.8) 125-88-104  
175(15.8) 127-88-106  
182(16.8) 130-90-108  
189(17.8) 131-91-110

WEIGHT

1600 +/- 50g (182)





## RIPSTICK 94 W BLACK EDITION

FLAT

¥132,000 (税込¥145,200)

SKI LEVEL

intermediate advanced expert

CODE

ADEMMU26

MAIN  
TECHNOLOGY

CarbonDeck Technology,  
Quadrod, Carbon Frame Rein-  
forcement, Flax Fibre, Tubelite  
Woodcore

SIDEWALL

SST (Slanted Sidewall Tech-  
nology)

PROFILE

Amphibio Profile

BINDING

/

BASE

Sintered High Speed Gliding  
base

LENGTH RADIUS  
GEOMETRY

147(12.8) 126/91/105  
154(13.8) 127/92/107  
161(14.8) 128/93/108  
168(15.8) 129/94/109  
175(16.8) 131/95/112

WEIGHT

1500 +/- 50g (168)



## RIPSTICK 106 W

FLAT

¥119,000 (税込¥130,900)

intermediate advanced expert

ADFMND26

CarbonDeck Technology, Carbon  
Rods, UD Carbon, Flax Fibre,  
Tubelite Woodcore

SST (Slanted Sidewall Tech-  
nology)

Amphibio Profile

/

Sintered High Speed Gliding  
base

154(15.8) 135-104-114  
161(16.8) 137-105-117  
168(17.8) 139-106-119  
175(18.8) 141-107-121

1585 +/- 50g (168)



## RIPSTICK 100 W

FLAT

¥109,000 (税込¥119,900)

intermediate advanced expert

ADFMNE26

CarbonDeck Technology, Carbon  
Rods, UD Carbon, Flax Fibre,  
Tubelite Woodcore

SST (Slanted Sidewall Tech-  
nology)


Amphibio Profile

/

Sintered High Speed Gliding  
base

154(14.8) 131-98-110  
161(15.8) 132-99-112  
168(16.8) 134-100-114  
175(17.8) 136-101-116

1535 +/- 50g (168)



## RIPSTICK 94 W

FLAT

¥99,000 (税込¥108,900)

intermediate advanced expert

ADFMNF26

CarbonDeck Technology, Carbon  
Rods, UD Carbon, Flax Fibre,  
Tubelite Woodcore

SST (Slanted Sidewall Tech-  
nology)


Amphibio Profile

/

Sintered High Speed Gliding  
base

147(12.8) 126-91-105  
154(13.8) 127-92-107  
161(14.8) 128-93-108  
168(15.8) 129-94-109  
175(16.8) 131-95-112

1500 +/- 50g (168)



## RIPSTICK 88 W

FLAT

¥89,000 (税込¥97,900)

intermediate advanced expert

ADFMNG26

CarbonDeck Technology, Carbon  
Rods, UD Carbon, Flax Fibre,  
Tubelite Woodcore

SST (Slanted Sidewall Tech-  
nology)

Amphibio Profile

/

Sintered High Speed Gliding  
base

147(11.8) 120-85-99  
154(12.8) 121-86-101  
161(13.8) 123-87-102  
168(14.8) 125-88-104  
175(15.8) 127-88-106

1410 +/- 50g (168)





# Ripstick Tour

Move through mountains with confidence.

エラン リップスティックツアーは、エランの定評あるスキーパフォーマンスを維持しながら、より軽快な登坂体験を求めるツアースキーヤーからインスピレーションを得ています。その基盤となるのは、振動を吸収し、様々な雪質において安定性を発揮するよう戦略的に配置されたカーボンブリッジです。バックカントリーツアーで遭遇するあらゆる地形やコンディションでも、自信を持って山を駆け抜けてください。

## MAIN FEATURE




### Carbon Bridge Technology

カーボンブリッジテクノロジーは、スキー板の上部にカーボンロッドを1本配置することで、安定性、振動吸収、そして先端からの振動吸収を実現する革新的なソリューションです。

- 1 Tubelite Woodcore**  
強く、軽く、ダイナミック
- 2 Carbon Reinforcement**  
軽量でありながらパワフルな反発力を実現

## ADDITIONAL CONSTRUCTION ELEMENTS

- 3 360° Sidewall**  
軽量でありながら、ダイレクトなパワー伝達を実現
- 4 Amphibio Profile**  
スムーズなターンとエッジグリップ
- 5 Titanal Binding Reinforcement**  
確実なビンディング固定





## RIPSTICK TOUR 104

FLAT

¥125,000 (税込¥137,500)

SKI LEVEL

intermediate advanced expert

CODE

ADGKWB24

MAIN TECHNOLOGY

CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore

SIDEWALL

360° Sidewall

PROFILE

Amphibio Profile

BINDING

/

BASE


Sintered High Speed Gliding base

LENGTH RADIUS GEOMETRY

173(21.5) 129-104-122  
180(23.0) 129-104-122  
187(25.4) 129-104-122

WEIGHT

1510 +/- 50g (180)



## RIPSTICK TOUR 94

FLAT

¥120,000 (税込¥132,000)

intermediate advanced expert

ADHLVW25

CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore

360° Sidewall

Amphibio Profile

/

Sintered High Speed Gliding base

164(13.7) 129-94-109  
171(15.6) 129-94-109  
178(17.4) 129-94-109  
185(19.4) 129-94-109

1380 +/- 50g (178)



## RIPSTICK TOUR 88

FLAT

¥114,000 (税込¥125,400)

intermediate advanced expert

ADKLWH25

CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore

360° Sidewall

Amphibio Profile

/

Sintered High Speed Gliding base

156(14.8) 127-88-105  
163(15.6) 127-88-106  
170(16.8) 128-88-107  
177(17.6) 128-88-108  
184(18.8) 129-88-109

1270 +/- 50g (177)



## RIPSTICK TOUR 94 W

FLAT

¥120,000 (税込¥132,000)

intermediate advanced expert

ADHLVZ25

CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore

360° Sidewall

Amphibio Profile

/

Sintered High Speed Gliding base

157(12.0) 129-94-109  
164(13.7) 129-94-109  
171(15.6) 129-94-109

1325 +/- 50g (171)



## RIPSTICK TOUR 88 W

FLAT

¥114,000 (税込¥125,400)

intermediate advanced expert

ADKLWL25

CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore

360° Sidewall

Amphibio Profile

/

Sintered High Speed Gliding base

148(13.7) 127-88-105  
156(14.8) 127-88-105  
163(15.6) 127-88-106  
170(16.8) 128-88-107

1160 +/- 50g (163)



NEW

## RIPSTICK TOUR 83 UL

FLAT

¥95,000 (税込¥81,400)

SKI LEVEL

intermediate advanced expert

CODE

ADSMNM26

MAIN  
TECHNOLOGY

AirLite Technology, Carbon Reinforcement, Titanal Binding Reinforcement, AirLite Laminated Woodcore

SIDEWALL

EST-Touring

PROFILE

Early Rise Rocker

BINDING

/

BASE

Sintered base

LENGTH RADIUS  
GEOMETRY

150(13.0) 121-82-103  
157(14.5) 121-82-103  
164(16.1) 121-82-103  
171(17.6) 121-82-103  
178(19.6) 121-82-103

WEIGHT

1050 +/- 50g (171)



NEW

## RIPSTICK TOUR 65 UL

FLAT

¥90,000 (税込¥99,000)

intermediate advanced expert

ADPMNQ26

AirLite Technology, Carbon Reinforcement, Titanal Binding Reinforcement, AirLite Laminated Woodcore

EST-Touring


Early Rise Rocker


/

Sintered base

150(22.0) 94-65-80  
160(23.0) 94-65-80

690 +/- 50g (160)






## MAIN FEATURE

## RC Skis Technology

- 1 **Fibreglass**  
最適化されたフレックスパターン
- 2 **Channel Woodcore**  
応答性と最適なフレックス

## ADDITIONAL CONSTRUCTION ELEMENTS

- 3 **EST - Extended Sidewall construction**  
ジュニアサイドウォール
- 4 **Camber Profile**  
優れたエッジグリップ
- 5 **Sintered Running Base**  
優れた滑走性

RC  
ACE

## JR SHIFT

¥59,000 (税込¥64,900)

RC  
MAGIC

## JR SHIFT

¥59,000 (税込¥64,900)

|                        | SKI LEVEL                          |              |        |
|------------------------|------------------------------------|--------------|--------|
|                        | beginner                           | intermediate | expert |
| CODE                   | AELMRF26, AELMRF6*                 |              |        |
| MAIN TECHNOLOGY        | Fibreglass, Channel Woodcore       |              |        |
| SIDEWALL               | EST (Extended Sidewall Technology) |              |        |
| PROFILE                | Camber                             |              |        |
| BINDING                | EL 4.5_7.5* GW CA JRS BLK          |              |        |
| BASE                   | Sintered High Speed Gliding base   |              |        |
| LENGTH RADIUS GEOMETRY | 110(6.1) 115-70-100                |              |        |
|                        | 120(7.4) 115-70-100                |              |        |
|                        | 130*(9.0) 115-70-100               |              |        |
|                        | 140*(10.4) 115-70-100              |              |        |
|                        | 150*(11.9) 115-70-100              |              |        |
|                        | 160*(13.7) 115-70-100              |              |        |
| WEIGHT                 | /                                  |              |        |

elanジュニアスキー・適用ブーツソールサイズ  
(ジュニア全モデル共通)

70~100cm / 183mm~283mm

110~120cm / 215mm~315mm

130~150cm / 255mm~355mm

## MAIN FEATURE - SKIS

### U-Flex Technology

U-Flexテクノロジーは、ジュニアスキーの柔軟性を25%向上させる独自の構造とプロファイルです。軽量のSynflexコア、Full Power Cap構造、そしてEarly Rise Rockerプロファイルと組み合わせることで、子供達がいち早くエッジを使ったスキーを習得することを可能にします。この独自の特許取得済みテクノロジーは、スキーの習得を容易にし、より良いスキー体験を実現します。

1

#### U-Flex

25% 柔らかくなり、100% 楽しくなり、歩くのと同じくらい簡単にスキーができるように。

#### ADDITIONAL CONSTRUCTION ELEMENTS

2

#### JRS Binding System

スキーとブーツがセットされても、より自由に曲がることを可能にします。



#### JRS PLATE



#### FLEXING SKI



U-フレックス採用で短いスキーでもソフトフレックス!



#### JETT

JR SHIFT  
¥ OPEN

SKI LEVEL  
beginner intermediate expert

CODE  
AFDMRC26

MAIN TECHNOLOGY  
U-Flex Technology, Fibreglass, Synflex Core

SIDEWALL  
Full Power Cap

PROFILE  
Early Rise Rocker

BINDING  
EL 4.5 GW CA JRS BLK

BASE  
Extruded base

LENGTH RADIUS  
GEOMETRY

70(2.5) 101-69-90  
80(3.5) 101-69-90  
90(4.8) 101-69-90  
100(6.2) 101-69-90  
110(7.0) 105-68-90  
120(8.6) 105-68-90  
130(9.4) 109-67-95  
140(11.2) 109-67-95  
150(13.1) 109-67-95

WEIGHT  
/



#### STARR

JR SHIFT  
¥ OPEN

SKI LEVEL  
beginner intermediate expert

CODE  
AFDMRD26

MAIN TECHNOLOGY  
U-Flex Technology, Fibreglass, Synflex Core

SIDEWALL  
Full Power Cap

PROFILE  
Early Rise Rocker

BINDING  
EL 4.5 GW CA JRS WHT

BASE  
Extruded base

70(2.5) 101-69-90  
80(3.5) 101-69-90  
90(4.8) 101-69-90  
100(6.2) 101-69-90  
110(7.0) 105-68-90  
120(8.6) 105-68-90  
130(9.4) 109-67-95  
140(11.2) 109-67-95  
150(13.1) 109-67-95

WEIGHT  
/



#### MAXX BLUE

JR SHIFT  
¥ OPEN

SKI LEVEL  
beginner intermediate expert

CODE  
AFDMAH25, AFDMAHA5\*

MAIN TECHNOLOGY  
U-Flex Technology, Fibreglass, Synflex Core

SIDEWALL  
Full Power Cap

PROFILE  
Early Rise Rocker

BINDING  
EL 4.5 GW CA JRS BLK

BASE  
Extruded base

70(2.5) 101-69-90  
80(3.5) 101-69-90  
90(4.8) 101-69-90  
100(6.2) 101-69-90  
110(7.0) 105-68-90  
120(8.6) 105-68-90  
130\*(9.4) 109-67-95  
140\*(11.2) 109-67-95  
150\*(13.1) 109-67-95

WEIGHT  
/



#### MAXX RED

JR SHIFT  
¥ OPEN

SKI LEVEL  
beginner intermediate expert

CODE  
AFDMRE26

MAIN TECHNOLOGY  
U-Flex Technology, Fibreglass, Synflex Core

SIDEWALL  
Full Power Cap

PROFILE  
Early Rise Rocker

BINDING  
EL 4.5 GW CA JRS BLK

BASE  
Extruded base

70(2.5) 101-69-90  
80(3.5) 101-69-90  
90(4.8) 101-69-90  
100(6.2) 101-69-90  
110(7.0) 105-68-90  
120(8.6) 105-68-90  
130(9.4) 109-67-95  
140(11.2) 109-67-95  
150(13.1) 109-67-95

WEIGHT  
/



#### SKY

JR SHIFT  
¥ OPEN

SKI LEVEL  
beginner intermediate expert

CODE  
AFFMAK25, AFFMAKA5\*

MAIN TECHNOLOGY  
U-Flex Technology, Fibreglass, Synflex Core

SIDEWALL  
Full Power Cap


PROFILE  
Early Rise Rocker

BINDING  
EL 4.5 GW CA JRS WHT

BASE  
Extruded base

70(2.5) 101-69-90  
80(3.5) 101-69-90  
90(4.8) 101-69-90  
100(6.2) 101-69-90  
110(7.0) 105-68-90  
120(8.6) 105-68-90  
130\*(9.4) 109-67-95  
140\*(11.2) 109-67-95  
150\*(13.1) 109-67-95

WEIGHT  
/



## EON PRO

¥25,000(税込¥27,500)

**COLOR\_ Black** **CODE\_** CE121022051 (51-55), CE121022056 (56-59), CE121022060 (60-62)

**COLOR\_ White** **CODE\_** CE121422051 (51-55), CE121422056 (56-59)

**CONSTRUCTION\_** PC - Inmold

**FIT SYSTEM\_** BOA® 360 Fit System

**SIZES\_** 51-55 (S), 56-59 (M), 60-62 (L)

**FEATURES\_** IRDS 構造 - 耐衝撃性ダブルシェル / 調整可能なエアストリーム / AIRFLOW ライナー / 取り外し可能なライナー / ピュアサウンド イヤーパッド / 取り外し可能なイヤーパッド / 取り外し可能なライナー / イージー ストラップ システム

## RACE TRAVEL 165L BAG

CODE\_ CG191225 ¥35,000(税込¥38,500)

FEATURE OVERVIEW\_ 大容量コンパートメント/伸縮ハンドル/サイレントホイール/長いサイドポケット/大容量フロントコンパートメント/名札ポケット/パッド入りハンドル

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 40 x 43 x 91cm / 165L

COLOR\_ Petrol green



## BOOT 30L BAG

CODE\_ CG292425 ¥8,000(税込¥8,800)

FEATURE OVERVIEW\_ ブーツ+ヘルメットメインコンパートメント/フロントポケット/持ち運び用ショルダーストラップ

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 35,5 x 20 x 38cm / 30L

COLOR\_ Green/Petrol green



## RACE 85L BACKPACK

CODE\_ CG191025 ¥23,000(税込¥25,300)

FEATURE OVERVIEW\_ 大容量コンパートメント/フロントポケット/上部ポケット/サイドポケット/外部メッシュサイドポケット/内部メッシュサイドポケット/内部小型ジッパーポケット/パッド入りショルダーストラップ/チェストクリップ/ネームタグステッカー

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 60 x 40 x 35 cm / 85L

COLOR\_ Green/Petrol green



## DRAWSTRING 18L BAG

CODE\_ CG589826 ¥5,000(税込¥5,500)

FEATURE OVERVIEW\_ モノコンパートメント / ドローコード開閉 / ジッパー付きサイドポケット

MATERIAL\_ Polyester

DIMENSIONS / VOLUME\_ 51x34 cm / 17 L

COLOR\_ Petrol



NEW

## LIFESTYLE 27L BACKPACK

CODE\_ CG590325 ¥20,000(税込¥22,000)

FEATURE OVERVIEW\_ 15.6インチノートパソコン用の高さのあるポケット/柔らかい裏地のフロントポケット/中央コンパートメントの整理パネル/ジッパー付きの2つの大きなコンパートメント/内側のジッパー付き小ポケット/ストレッチメッシュサイドポケット/バススルーパネル/パッド入りバックパネル/胸部ストラップ

MATERIAL\_ 100% Polyester

DIMENSIONS / VOLUME\_ 29 x 20 x 46,5 cm / 27L

COLOR\_ Petrol Green



## BAG SKI RACE 5P GREEN


CODE\_ CG191425 ¥45,000(税込¥49,500)

FEATURE OVERVIEW\_ 5ベアスキーコンパートメント / 伸縮ハンドル / 内側セパレーター / 内側と外側の締め付けストラップ / サイレントホイール / パッド入りハンドル

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 206 x 35,5 x 21cm / 5 pair skis

COLOR\_ Green/Petrol green



## SKI WRAP

CODE\_ CG190819 ¥23,000(税込¥25,300)

FEATURE OVERVIEW\_ 3つのジッパー付きスキーコンパートメント/長さ220CM/パッド入り構造

MATERIAL\_ Highly Resistant Polyester

DIMENSIONS / VOLUME\_ 225 x 150

COLOR\_ Black



## ROLL-TOP 23L BACKPACK

CODE\_ CG594026 ¥15,000(税込¥16,500)

FEATURE OVERVIEW\_ メインコンパートメント / 最大16インチのノートパソコン用コンパートメント / 内側にジッパーポケット / フロントにジッパーポケット / ドリンクボトル用サイドポケット / ローリングクロージャータ입 / 拡張可能なボリューム

MATERIAL\_ Nylon / Polyester

DIMENSIONS / VOLUME\_ 29x11x60 cm / 25 L (not including roll part) / 30 L (including roll part)

COLOR\_ Black



NEW

## 5P SKI BAG

CODE\_ CG291523 ¥21,000(税込¥23,100)

FEATURE OVERVIEW\_ 5ベアスキーコンパートメント/締め付けストラップ/パッド入り構造/ハンドル

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 200cm / 5 pairs

COLOR\_ Petrol

DUALIE TRAVEL 90L BAG  
CARRY ON 50L BAG

CODE\_ CG302020 (90L), ¥42,000(税込¥46,200)

CG302220 (50L) ¥30,000(税込¥33,000)

FEATURE OVERVIEW\_ スプリットメインコンパートメント/フロントスモールポケット/伸縮ハンドル/サイレントホイール/増し締めストラップ/キャリーハンドル/サイドポケット/ネームタグポケット

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 44 x 33,5 x 80cm / 90L / 35 x 28 x 54,5cm / 50L (Cabin Luggage)

COLOR\_ Black



(90L)

(50L)

## 1P/2P SKI BAG

CODE\_ CG292025 (1P) ¥9,000(税込¥9,900)

CG292225 (2P) ¥10,000(税込¥11,000)

FEATURE OVERVIEW\_ 1ベア(1P) / 2ベア(2P)スキーコンパートメント/締め付けストラップ/ハンドル

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 186 cm / 1 pair / 2 pair

COLOR\_ Petrol green



## SKI CASE JP

CODE\_ CJ000422 ¥6,000(税込¥6,600)

SIZE\_ M: ~175cm

COLOR\_ Black / White



宅配伝票対応ポケット付



## SKI CASE JP W

CODE\_ CJ000522 ¥6,000(税込¥6,600)

SIZE\_ S: ~165cm

COLOR\_ Black / Turquoise



宅配伝票対応ポケット付



**elan**™  
*Always Good Times*



ELANJAPAN CO., LTD.

TOMOE Bldg 2F, 3-3-4 Kandamisaki-cho, Chiyoda-ku, Tokyo, Japan 101-0061

