

天井埋込形換気扇 買替え商品一覧表

分類	旧商品品番	発売時期	換気風量 (m³/h)		騒音 (dB)		埋込寸法	高さ (mm)	吐出口高さ (mm)	ルーバー寸法 (mm)	買替 (現行) 商品	ページ	備考
			50Hz	60Hz	50Hz	60Hz							
24	FY-24CPK6	H13/9	200	200	36	36	240	200	110	300	FY-24CPK8	A-100	
	FY-24CPG6	H14/7	180	165	34.5	34	240	200	110	300	FY-24CPG8	A-99	
	FY-24CHH6	H13/9	141	135	27.5	27	240	200	110	300	FY-24CHH8	A-42	
	FY-24CHH7	H20/5	141	141	25.5	25.5	240	200	110	300	FY-24CHH8	A-42	
	FY-24CR6	H13/9	141	135	27.5	27	240	200	110	300	FY-24CR8	A-42	
	FY-24CR7	H20/5	141	141	25.5	25.5	240	200	110	300	FY-24CR8	A-42	
	FY-24CR6V	H17/4	141	135	27.5	27	240	200	110	300	FY-24CR8V	A-41	
	FY-24CR7V	H20/5	141	141	25.5	25.5	240	200	110	300	FY-24CR8V	A-41	
	FY-24CL1	H7/7	141	135	27.5	27	240	200	110	300	対応品なし		換気扇と照明を別々で設置
	FY-24CS7	H20/5	141	141	25.5	25.5	240	200	110	300	FY-24CS8	A-40	
	FY-24CVS6	H18	160	155	32.5	32	240	200	110	300	対応品なし		
	FY-24CW1	H7/7	141	135	28	27.5	240	200	110	300	対応品なし		
	FY-24FP6	H13/9	141	135	27.5	27	240	200	113	300	FY-24FP7	A-44	
	FY-24FPK6	H13/9	212	206	36	35.5	240	200	113	300	FY-24FPK7	A-47	
	FY-24J6	H13/9	141	135	27.5	27	240	200	110		FY-24J8	A-75	
	FY-24J7	H20/5	141	141	25.5	25.5	240	200	110		FY-24J8	A-75	
	FY-24J6V	H15/4	141	135	27.5	27	240	200	110		FY-24J8V	A-75	
	FY-24J7V	H20/5	141	141	25.5	25.5	240	200	110		FY-24J8V	A-75	
	FY-24JD7	H20	100	100	23	23	240	189	110		FY-24JDK8	A-20	
	FY-24JDK7	H20	150	150	29.5	29.5	240	189	110		FY-24JDK8	A-20	
	FY-24JG6	H13/9	212	206	36	35.5	240	200	110		FY-24JG8	A-79	
	FY-24JG7	H20/5	212	212	35.5	35.5	240	200	110		FY-24JG8	A-79	
	FY-24JG6V	H15/4	212	206	36	35.5	240	200	110		FY-24JG8V	A-79	弱(常時)と強(旧機種)の急速相当の2速のみ
	FY-24JG7V	H20/5	212	212	35.5	35.5	240	200	110		FY-24JG8V	A-79	
	FY-24JK6	H13/9	175	167	32	31.5	240	200	110		FY-24JK8	A-77	
	FY-24JK7	H20/5	175	172	31.5	31.5	240	200	110		FY-24JK8	A-77	
	FY-24LF	S56/8	132	138	37	38.5	240	208	142	290	対応品なし		換気扇と照明を別々で設置
	FY-24LFA	S58/7	132	138	37	38.5	240	208	142	290	対応品なし		換気扇と照明を別々で設置
	FY-24N1	H4/2	140	135	27	26.5	240	200	135	300	FY-24B7	A-76	別売ルーバー必要
	FY-24N5	H7/7	141	135	26	25.5	240	200	113	300	FY-24B7	A-76	別売ルーバー必要
	FY-24NQ1	H4/2	140	135	27	26.5	240	200	135	300	FY-24BQ7	A-78	別売ルーバー必要
	FY-24NR1	H4/3	140	135	27	26.5	240	200	135	300	FY-24CR8	A-42	本体：樹脂製
	FY-24S1	H3/7	140	135	28	27.5	240	200	135	300	FY-24S7	A-44	
	FY-24S5	H7/7	141	135	27.5	27	240	200	113	300	FY-24S7	A-44	
	FY-24S6	H13/9	141	135	27.5	27	240	200	113	300	FY-24S7	A-44	
	FY-24SK5	H7/7	212	206	36	35.5	240	200	113	300	FY-24SK7	A-47	
	FY-24SK6	H13/9	212	206	36	35.5	240	200	113	300	FY-24SK7	A-47	
	FY-24SR5	H7/7	141	135	27.5	27	240	200	113	300	FY-24CR8	A-42	本体：樹脂製
	FY-24SK1	H4/2	210	204	37.5	36.5	240	200	135	300	FY-24SK7	A-47	
	FY-24X1	H4/2	140	135	28	27.5	240	200	135	300	FY-24C8	A-40	本体：樹脂製
FY-24X5	H7/7	141	135	27.5	27	240	200	113	300	FY-24C8	A-40	本体：樹脂製	
FY-24X6	H13/7	141	135	27.5	27	240	200	113	300	FY-24C8	A-40	本体：樹脂製	
FY-24XB	S56/6	126	126	33	33	240	229	142		FY-24C8	A-40	本体：樹脂製	
FY-24XBA	S58/7	126	126	33	33	240	200	142		FY-24C8	A-40	本体：樹脂製	
FY-24XH1	H4/3	140	135	28	27.5	240	200	135	300	FY-24C8	A-40	本体：樹脂製	
FY-24XK1	H4/2	210	204	37.5	36.5	240	200	135	300	FY-24CG8	A-46	本体：樹脂製	
FY-24XK5	H7/7	212	206	36	35.5	240	200	113	300	FY-24CG8	A-46	本体：樹脂製	
FY-24XK6	H13/7	212	206	36	35.5	240	200	113	300	FY-24CG8	A-46	本体：樹脂製	
27	FY-27B	S56/6	228	225	37	36.5	270	245	134		FY-27B7	A-83	
	FY-27B2	S59/12	261	267	33.5	34	270	251	130		FY-27B7	A-83	
	FY-27B3	S63/8	270	270	31	31	270	249	140		FY-27B7	A-83	
	FY-27B4	H4/2	260	255	31	30.5	270	251	140		FY-27B7	A-83	
	FY-27B5	H7/7	275	265	30	29.5	270	248	138		FY-27B7	A-83	
	FY-27B6	H13/9	300	300	32	32	270	246	138		FY-27B7	A-83	
	FY-27BA	S58/7	228	225	37	36.5	270	245	134		FY-27B7	A-83	
	FY-27BK	S59/12	330	324	38.5	38	270	251	130		FY-27BK7	A-86	
	FY-27BK2	S63/8	330	324	36	36	270	249	140		FY-27BK7	A-86	
	FY-27BK3	H4/2	340	330	37	36.5	270	251	140		FY-27BK7	A-86	
	FY-27BK5	H7/7	345	340	35.5	35	270	248	138		FY-27BK7	A-86	
	FY-27BK6	H13/9	350	340	34.5	33.5	270	246	138		FY-27BK7	A-86	
	FY-27BM	S59/12	261	267	34.5	35	270	251	130		FY-27BM7	A-84	
	FY-27BM2	S63/8	270	270	31	31	270	249	140		FY-27BM7	A-84	
	FY-27BM3	H4/2	270	270	31	31	270	249	140		FY-27BM7	A-84	
	FY-27BM5	H7/7	275	265	30	29.5	270	248	138		FY-27BM7	A-84	
	FY-27BM6	H13/9	300	300	32	32	270	246	138		FY-27BM7	A-84	
	FY-27BQ7	H18/10	300	300	31	31	270	246	138		FY-27B7	A-83	煙センサーなし
	FY-27BX	H2/6	270	270	31	31	270	254	140		FY-27C8	A-48	
	FY-27C6	H13/6	300	300	32	32	270	237	138	330	FY-27C8	A-48	
	FY-27C7	H21/4	300	300	32	32	270	236	138	330	FY-27C8	A-48	
	FY-27CK6	H13/6	350	340	34.5	33.5	270	237	138	330	FY-27CK8	A-50	
	FY-27CK7	H21/4	350	340	34.5	33.5	270	236	138	330	FY-27CK8	A-50	
	FY-27CR6	H13/6	300	300	32	32	270	237	138	330	FY-32CR7V	A-53	寸法、センサー運転動作が異なります
	FY-27J6	H13/6	300	300	32	32	270	237	138		FY-27J8	A-82	
	FY-27J7	H21/4	300	300	32	32	270	236	138		FY-27J8	A-82	
FY-27JK6	H13/6	350	340	34.5	33.5	270	237	138		FY-27JK8	A-85		

天井埋込形換気扇 買替え商品一覧表

分類	旧商品品番	発売時期	換気風量(m ³ /h)		騒音(dB)		埋込寸法	高さ(mm)	吐出口高さ(mm)	ルーバー寸法(mm)	買替(現行)商品	ページ	備考
			50Hz	60Hz	50Hz	60Hz							
27	FY-27JK7	H21/4	350	340	34.5	33.5	270	236	138	-	FY-27JK8	A-85	
	FY-27N1	H4/2	260	255	28	27.5	270	251	140	330	FY-27BN7	A-83	別売ルーバー必要
	FY-27N5	H7/7	275	265	27.5	27	270	248	138	330	FY-27BN7	A-83	別売ルーバー必要
	FY-27NQ1	H4/1	260	255	28	27.5	270	251	140	330	FY-27B7	A-83	別売ルーバー必要
	FY-27NR1	H4/3	260	255	28	27.5	270	251	140	330	FY-32CR7V	A-53	材質、寸法、センサー運転動作が異なります
	FY-27S1	H3/7	270	270	31	31	270	249	140	330	FY-27S7	A-49	
	FY-27S2	H4/2	260	255	31	30.5	270	251	140	330	FY-27S7	A-49	
	FY-27S5	H7/7	275	265	30	29.5	270	248	138	330	FY-27S7	A-49	
	FY-27S6	H13/9	300	300	32	32	270	246	138	330	FY-27S7	A-49	
	FY-27SK1	H4/2	340	330	37	36.5	270	251	140	330	FY-27SK7	A-51	
	FY-27SK5	H7/7	345	340	35.5	35	270	248	138	330	FY-27SK7	A-51	
	FY-27SK6	H13/9	350	340	34.5	33.5	270	246	138	330	FY-27SK7	A-51	
	FY-27SR5	H7/7	275	265	30.5	30	270	248	138	330	FY-32CR7V	A-53	材質、寸法、センサー運転動作が異なります
	FY-27X1	H4/2	260	255	31	30.5	270	254	140	330	FY-27C8	A-48	本体：樹脂製
	FY-27X5	H7/7	275	265	30	29.5	270	248	138	330	FY-27C8	A-48	本体：樹脂製
	FY-27X6	H13/7	300	300	32	32	270	246	138	330	FY-27C8	A-48	本体：樹脂製
FY-27XB	S56/6	228	225	37	36.5	270	245	134	320	FY-27C8	A-48	本体：樹脂製	
FY-27XBA	S58/7	228	225	37	36.5	270	245	134	320	FY-27C8	A-48	本体：樹脂製	
30	FY-30MB1	H9/12	275	265	31	30.5	300	250	140	-	FY-27J8	A-82	本体形状(丸→角)が異なります
	FY-30MBK1	H9/12	345	340	36.5	36	300	250	140	-	FY-27JK8	A-85	本体形状(丸→角)が異なります
	FY-30MC1	H9/12	275	265	31	30.5	300	250	140	360	FY-27C8	A-48	本体形状(丸→角)が異なります
	FY-30MCK1	H9/12	345	340	36.5	36	300	250	140	360	FY-27CK8	A-50	本体形状(丸→角)が異なります
32	FY-32B-H(M)	S56/6	462	438	48	46.5	320	253	151	-	FY-32B7H(M)	A-90	
	FY-32B2H(M)	S59/12	408	402	38	38	320	239	130	-	FY-32B7H(M)	A-90	
	FY-32B3H(M)	S63/8	414	402	38	37	320	230	130	-	FY-32B7H(M)	A-90	
	FY-32B4H(M)	H4/2	430	405	38.5	37.5	320	238	140	-	FY-32B7H(M)	A-90	
	FY-32B5H(M)	H7/7	430	405	37.5	36	320	236	138	-	FY-32B7H(M)	A-90	
	FY-32B6H(M)	H13/9	430	405	37.5	36	320	236	138	-	FY-32B7H(M)	A-90	
	FY-32BA-H(M)	S58/7	462	438	48	46.5	320	253	151	-	FY-32B7H(M)	A-90	
	FY-32BK2H(M)	S63/8	516	500	43.5	42	320	233	130	-	FY-32BK7H(M)	A-91	
	FY-32BK3H(M)	H4/2	520	500	43.5	42.5	320	238	140	-	FY-32BK7H(M)	A-91	
	FY-32BK5H(M)	H7/7	525	505	42.5	41.5	320	236	138	-	FY-32BK7H(M)	A-91	
	FY-32BK6H(M)	H13/9	525	505	42.5	41.5	320	236	138	-	FY-32BK7H(M)	A-91	
	FY-32BKH(M)	S59/12	516	486	44	42.5	320	234	130	-	FY-32BK7H(M)	A-91	
	FY-32BS	S59/12	294	288	32	31	320	239	130	-	FY-32BS7	A-89	
	FY-32BS2	S63/8	294	288	31	30.5	320	239	130	-	FY-32BS7	A-89	
	FY-32BS3	H4/2	390	380	37.5	36.5	320	238	140	-	FY-32BS7	A-89	
	FY-32BS5	H7/3	400	390	36	35	320	236	138	-	FY-32BS7	A-89	
	FY-32BS6	H13/9	400	390	36	35	320	236	138	-	FY-32BS7	A-89	
	FY-32BSQ5	H7/7	400	390	36	35	320	236	138	-	FY-32BS7	A-89	煙センサーなし
	FY-32BSQ6	H13/9	400	390	36	35	320	236	138	-	FY-32BS7	A-89	煙センサーなし
	FY-32BSQ7	H18/10	400	390	35	34	320	236	138	-	FY-32BS7	A-89	煙センサーなし
	FY-32C6	H13/6	400	390	36	35	320	236	138	380	FY-32C8	A-52	
	FY-32C7	H21/4	400	390	36	35	320	236	138	380	FY-32C8	A-52	
	FY-32CG6	H13/6	525	505	42.5	41.5	320	236	138	380	FY-32CG8	A-56	
	FY-32CG7	H21/4	525	505	42.5	41.5	320	236	138	380	FY-32CG8	A-56	
	FY-32CK6	H13/6	430	405	37.5	36	320	236	138	380	FY-32CK8	A-54	
	FY-32CK7	H21/4	430	405	37.5	36	320	236	138	380	FY-32CK8	A-54	
	FY-32CPTS6	H13/6	260	255	38	37	320	200	110	380	FY-32CPTS8	A-103	
	FY-32CR6	H13/6	400	390	36	35	320	236	138	380	FY-32CR7V	A-53	センサー運転動作が異なります
	FY-32CSD6	H13/6	270	265	38	37	320	200	110	380	FY-32CSD8	A-48	
	FY-32CTS6V	H15/3	190	185	33.5	32	320	200	110	380	FY-32CTS8V	A-103	
	FY-32J6	H13/6	400	390	36	35	320	236	138	-	FY-32J8	A-88	
	FY-32J7	H21/4	400	390	36	35	320	236	138	-	FY-32J8	A-88	
	FY-32JG6	H13/6	525	505	42.5	41.5	320	236	138	-	FY-32JG8	A-91	
	FY-32JG7	H21/4	525	505	42.5	41.5	320	236	138	-	FY-32JG8	A-91	
	FY-32JK6	H13/6	430	405	37.5	36	320	236	138	-	FY-32JK8	A-89	
	FY-32JK7	H21/4	430	405	37.5	36	320	236	138	-	FY-32JK8	A-89	
FY-32JSD6	H13/6	270	265	38	37	320	200	110	-	FY-32JSD8	A-82		
FY-32JSD6V	H15/3	200	190	33.5	32.5	320	200	110	-	FY-32JSD8V	A-81		
FY-32N1	H4/2	390	380	34.5	33.5	320	238	140	380	FY-32BSN7	A-88	別売ルーバー必要	
FY-32N5	H7/7	400	390	33.5	32.5	320	236	138	380	FY-32BSN7	A-88	別売ルーバー必要	
FY-32NQ1	H4/2	390	380	34.5	33.5	320	238	140	380	FY-32BS7	A-89	煙センサーなし別売ルーバー必要	
FY-32S1	H3/7	294	288	31	30.5	320	239	130	380	FY-32SG7の弱ノッチ	A-56		
FY-32S2	H4/2	390	380	37.5	36.5	320	238	140	380	FY-32S7	A-53		
FY-32S5	H7/7	400	390	36	35	320	236	138	380	FY-32S7	A-53		
FY-32S6	H13/9	400	390	36	35	320	236	138	380	FY-32S7	A-53		
FY-32SG1	H4/2	520	500	43.5	42.5	320	238	140	380	FY-32SG7	A-56		
FY-32SG5	H7/7	525	505	42.5	41.5	320	236	138	380	FY-32SG7	A-56		
FY-32SG6	H13/9	525	505	42.5	41.5	320	236	138	380	FY-32SG7	A-56		
FY-32SK1	H4/2	430	405	38.5	37.5	320	238	140	380	FY-32SK7	A-55		
FY-32SK5	H7/7	430	405	37.5	36	320	236	138	380	FY-32SK7	A-55		
FY-32SK6	H13/9	430	405	37.5	36	320	236	138	380	FY-32SK7	A-55		

天井埋込形換気扇 買替え商品一覧表

分類	旧商品品番	発売時期	換気風量 (m ³ /h)		騒音 (dB)		埋込寸法	高さ (mm)	吐出口高さ (mm)	ルーバー寸法 (mm)	買替 (現行) 商品	ページ	備考
			50Hz	60Hz	50Hz	60Hz							
38	FY-38B-H(M)	S56/6	642	582	49.5	47.5	385	273	152	-	FY-38B7H(M)	A-93	
	FY-38B2H(M)	S59/12	672	612	45	43	385	245	141	-	FY-38B7H(M)	A-93	
	FY-38B3H(M)	S63/8	690	650	44.5	43	385	259	141	-	FY-38B7H(M)	A-93	
	FY-38B4H(M)	H4/2	692	660	44.5	43.5	385	250	140	-	FY-38B7H(M)	A-93	
	FY-38B5H(M)	H7/7	700	670	45	44	385	248	138	-	FY-38B7H(M)	A-93	
	FY-38B6H(M)	H13/9	700	670	45	44	385	248	138	-	FY-38B7H(M)	A-93	
	FY-38BA-H(M)	S58/7	642	582	49.5	47.5	385	273	152	-	FY-38B7H(M)	A-93	
	FY-38BB-H(M)	S56/6	744	648	53	50.5	385	273	152	-	FY-38BK7H(M)	A-94	
	FY-38BBA-H(M)	S58/7	744	648	53	50.5	385	273	152	-	FY-38BK7H(M)	A-94	
	FY-38BK2H(M)	S63/6	750	690	47	45.5	385	257	141	-	FY-38BK7H(M)	A-94	
	FY-38BK3H(M)	H4/3	750	705	47	45.5	385	250	140	-	FY-38BK7H(M)	A-94	
	FY-38BK5H(M)	H7/7	750	710	46	45	385	248	138	-	FY-38BK7H(M)	A-94	
	FY-38BK6H(M)	H13/9	760	710	46	45	385	248	138	-	FY-38BK7H(M)	A-94	
	FY-38BKH(M)	S59/12	822	750	50	48.5	385	257	141	-	FY-38BK7H(M)	A-94	
	FY-38BS	S59/12	480	462	34	33	385	245	141	-	FY-38BK7Hの弱ノッチ	A-94	
	FY-38BS2	S63/6	485	470	35	34	385	244	141	-	FY-38BK7Hの弱ノッチ	A-94	
	FY-38BS3	H4/3	620	590	42	40.5	385	250	140	-	FY-38BS7	A-93	
	FY-38BS5	H7/3	620	605	41.5	40.5	385	236	138	-	FY-38BS7	A-93	
	FY-38BS6	H13/9	635	610	42	41	385	248	138	-	FY-38BS7	A-93	
	FY-38BSN7	H18	635	610	38.5	37.5	385	248	138	-	FY-38BS7	A-93	
	FY-38BSQ7	H18	635	610	41.5	40.5	385	248	138	-	FY-38BS7	A-93	煙センサーなし
	FY-38F1	H 5	58	59.5	40	39	385	250	140	450	FY-38FP7	A-58	強弱速調なし
	FY-38F5	H 7	60.5	61	38	37	385	236	138	450	FY-38FP7	A-58	強弱速調なし
	FY-38F6	H 13/9	60.5	61	38	37	385	248	138	450	FY-38FP7	A-58	強弱速調なし
	FY-38F7	H18	405	390	37.5	36.5	385	248	138	450	FY-38FP7	A-58	強弱速調なし
	FY-38FK1	H5	89.5	95	47	46	385	250	140	450	FY-38FP7	A-58	強弱速調なし
	FY-38FK5	H7	89.5	95	45	44	385	236	138	450	FY-38FP7	A-58	強弱速調なし
	FY-38FK6	H13/9	89.5	95	45	44	385	248	138	450	FY-38FP7	A-58	強弱速調なし
	FY-38FK7	H18	540	520	44.5	43.5	385	248	138	450	FY-38FP7	A-58	強弱速調なし
	FY-38S1	H3/8	485	470	35	34	385	244	141	450	FY-38SG7の弱ノッチ	A-59	
	FY-38S2	H4/3	620	590	42	40.5	385	250	140	450	FY-38S7	A-57	
	FY-38S5	H7/7	620	605	41	40	385	248	138	450	FY-38S7	A-57	
	FY-38S6	H13/9	635	610	42	41	385	248	138	450	FY-38S7	A-57	
	FY-38SA7	H18/10	240	230	35	34	385	300	160	450	対応品なし		中間ダクトファンで代用可能
	FY-38SG1	H4/3	750	705	47	45.5	385	250	140	450	FY-38SG7	A-59	
	FY-38SG5	H7/7	750	710	46	45	385	248	138	450	FY-38SG7	A-59	
	FY-38SG6	H13/9	760	710	46	45	385	248	138	450	FY-38SG7	A-59	
	FY-38SGB7	H18	760	710	44.5	43.5	385	248	138	450	対応品なし		
FY-38SK1	H4/3	692	660	44.5	43.5	385	250	140	450	FY-38SK7	A-58		
FY-38SK5	H7/7	700	670	44	43	385	248	138	450	FY-38SK7	A-58		
FY-38SK6	H13/9	700	670	44	43	385	248	138	450	FY-38SK7	A-58		
FY-40D1	H4	620	590	37	35.5	400	279	150	450	FY-38S7	A-57		
FY-40DG1	H4	900	850	41.5	40	400	300	185	450	天井埋込形換気扇2台			

※注 上記買替商品は、旧商品と必ずしも、風量・騒音・外形寸法等一致するものではありませんので、ご発注の際は、製品仕様書及びカタログデータページ等でご確認願います。